Jenova 吉尼佛
PROFESSIONAL

PRO.J

不一样的.....

The Best In Its Class

PRO.J

全新概念
创新设计

New concept
Innovative design

PRO.J

“浦吉”（PRO.J）是“吉尼佛”（JENOVA）旗下子品牌，在精密摄影器材方面，用专业（Professional）的方式演绎“吉尼佛”品牌文化。

厚积薄发 以玩家的超脱 修而至简

A brand new and high quality professional tripod,one of the best selling items with Jenova.

It's simply professional & fun for photographers on the go!

浦吉云台篇
Professional Camera Tripod head

浦吉专利产品（Exclusive Patented Technology)
PCT专利号：CN2010108223;
云台面板装置（国内）实用专利：ZL201020512402.7;
云台面板装置（国内发明专利）：201010268777.8

浦吉云台是吉尼佛人在车架互换装置“先行者”后的又一力作。
思维独特，让拍摄更从容、更快捷、更精准。

Following 'PRO.J', Jenova presents an additional innovation 'Pro. J ball heads' to best suit the most demanding photographers in all sort of shooting activities

Model:25624

Model:25614

Model:25624

MATERIAL	⌀	↕	kg	kg
aluminium	⌀33mm	101mm	0.45	25

Model:25614

MATERIAL	⌀	↕	kg	kg
aluminium	⌀33mm	101mm	0.45	25

专利快装系统
浦吉独家设计的快装板、六角匙、快装肩带带给您全新的摄影体验！

Patented Allen Key
Key at the back of plate allow you to adjust your tripod at anytime.

个小。。。本事大
Stability! .....The Strength to weight ratio

浦吉云台机构精密，锁紧力特强，经测试，台体在承重２５kg机体时，球体状态处于仰望式、俯视式等时均能在长时间下纹丝不动，非常稳定可靠。

Pro. J ball head on test showed the rated load weight can support equipment/ gadgets up to 25 kg. The locking knob ensures quick and positive adjustment of the camera angle.

快装系统 独家专利
Quick Lock System(Exclusive Patented Technology)

快速 可靠 瞬间锁紧

可以利用器材的自重，垂直放下，撑开卡板，自动回卡，扳动扳扣即可锁紧，整个过程，可以做到不需目视而完成装卸过程，达到独有的轻松摄影的体验。

简单说，就是可以快捷地“**盲装、盲卸**”。

Mobility! Quick release safety lock!

Excellent photographing experience with quick release mounting platform and proficient locking knob

云台面板 Tripod Head

- 面板滑坡形设计，方便快装。
- 参照刻度，方便相机精准定位。

- easy to setup with the wavy design of the tripod head
- convenience to adjust the angle position

快装板 Quick Release Plate

让扳扣位于 R 档位，借助器材重力稍向下用力，快装板可自行进入面板卡位。

With the pull buckle at the“R” position,gently slide the quick release plate onto the tripod head.

锁紧板扣 Pull Buckle at lock Position

- 将扳扣转到🔒档位快速锁紧快装板。
- ▶将扳扣转到🔓档位时，云台面板充分打开，垂直向上可取出快装板。

- Turn the pull buckle to the 🔒 position to lock the plate.
- ▶Torelease,simply turn the pull buckle to 🔓 position.

不一样的
The Best In Its Class

浦吉云台无须精准对位，在光线不好的环境下，也可从容、快速完成整个装卸过程。

Mounting of camera to the tripod is made easy with our specially designed tripod head

快装板装置 Quick Release Plate



浦吉专利产品 (Exclusive Patented Technology)
多功能相机快装板专利号：201220381351.8

无缝对接的六角匙
Patented quick release

六角匙两端不同口径分别对应不同用途。

to use as an allen key to lock thecenter tube with adapter platform

快装板底下内藏普吉独家专利设计的双口径六角匙：不仅优化六角匙的放置问题，还可以顶住活扣开关，进行二次保险。

六角匙适合云台与脚架使用六角匙的需求。不管是调节助卸孔或者“中心管的限位螺丝”还是调节固定脚架上的“固定云台螺丝口”都可一匙多用，轻松完成操作。

Allen key stored on the reverse side of the plate,
Nice piece of kit to make any adjustment for your tripod.
Combination of the plate and Allen key offer further protection to your photography equipment.

可切换使用模式的活扣
Quick Release Plate

浦吉独家专利设计快装板增加了带保险的活扣，可与吉尼佛特配的肩带或腕带进行联结与松开的快速切换。

Different ways to carry your camera around, Special design lock can quickly attach to your shoulder and wrist to help you achieve mobility and portability。



手腕模式：
快装板与浦吉手腕带配合使用

Wrist strap style
Attach wrist strap with the quick release plate.

肩带模式：（肩带需另购）
浦吉快装板与浦吉肩带配合使用，不需要拆下快装肩带，便可直接联结云台，整个拍摄的切换过程快捷方便。更安全！

Shoulder strap style
Attach shoulder strap with the quick release plate, can directly connect to the tripod and capture the photos in one go!

① 取下快装板自带的六角匙，往后拔动活扣。

① take out the Allen key from the quick release plate

② 将挂环套进快装板。让活扣闭合。

② attach the strap to the quick release plate

③ 装上六角匙，顶住活扣开关，实现二次保险。

③ place back the Allen key to make further security

④ 联结相机后，用快装板自带的六角匙顺时针拧动，固定快装板与相机。

④ use the Allen key to secure the camera and quick release plate

浦吉快装肩带Camera straps

浦吉快装肩带完美的兼顾了快速拍摄和舒适两大特性。单肩斜跨式的减压的设计，将负重从脖子转移到肩部，背负起来更轻松！可以达到不拆卸快装板的前提下，轻松快速地实现架上拍摄与肩负拍摄两种模式之间的切换。

PRO.j camera straps connect with the quick release plate.If you are an outdoor photographers and your tripod takes forever to set up, you will love our camera straps as it enables quick camera position on both your shoulder and tripod. What's more, Cross shoulder design provides superior carrying comfort.

肩带上巧妙设计的小袋子有大用途。

Accessory case attached can accommodate spare batteries, memory cards etc.

加固连接带进一步巩固肩带与相机的连接，又一个二次保险，可作简易腕带使用。

Supplementary strap provide further protection to your camera. Can use it as wrist strap as well

随肩带配备的腋下带，进一步固定肩带，避免行动过程中肩带的移位造成相机晃动，影响携带。

Extra strap to stabilize the carrying position to avoid accidental improper usage.

快速胸前调节

自由拉伸带可非常方便地帮助您调节肩负相机时的使用长度。

Length of the straps is simply adjustment.

收缩辅助调节带
Contract the strap

拉伸辅助调节带
Extend the strap

按扣式的锁扣，可按需要定位挂环扣点。

※ 肩带设有左肩带或右肩带使用之分，可以根据您个人的使用习惯选择购买。

The strap fits with both left and right hand side users

① 使用拉伸辅助调节带就可轻松放长背负肩带。
② 使用收缩辅助调节带就可轻松缩短背负肩带。

适用于浦吉快装板

快速与脚架连接

快装背带配合浦吉快装板联结相机后，不仅能随意在胸前快速调节肩背状态，抢拍瞬间精彩画面，同时又能既不影响快装板联结云台，亦不需要拆下快装肩带，随时直接联结在脚架云台上。整个拍摄的切换过程：快捷，简单、安全。

High-speed connection with tripod

Without removal from the strap, your camera can make a big difference in how quickly you can attach or remove your camera.
Speedy process, take the perfect picture!



浦吉快装板和快装肩带的组合，肩负和连接脚架的切换过程快捷、方便、安全。

锁紧系统 四大优势

▲更紧凑
机构精密，锁紧力特强，经香港标准及检定中心检测，最大锁紧力可超越25kg。

▲更柔顺
拧动的手感非一般的轻松，柔顺，两岁小童亦可轻松锁紧。

▲更精准
由于锁紧效率高，球体无级滑动，因此可以精确取景与构图。

▲更包容
超大的最大锁紧力，加上较大的锁紧区行程，既可适应不同的力感喜好（一般情况下，可以不拧到底，便可锁紧设备），又可满足较重的设备使用需求。

Large Locking Knob

▲ Specialization
Outstanding locking system and stability, it can support devices up to 25 kg with ease (香港標準及檢定中心檢測)

▲ Smoothness
Easy twist, even young children can utilize it easily

▲ Preciseness
Can capture the moment precisely with this outstanding system

▲ Strong and durable construction
This locking knob is clearly robust and well made, grips the ball firmly and securely. Appropriate for weighty equipment



超大锁紧旋扭

宽大的锁紧旋扭为超强锁紧力提供了基础，加强了相机的稳定效果。比常见云台更紧凑与柔顺。

特别提醒：本云台锁紧区行程较大，满足不同的个人力感喜好；不同的器材重量情况。因此，一般情况下，不需要刻意拧“到底”

Great locking knob

Unlike most of the tripod heas in the market,PRO.j teipod comes with large locking knobsfor a more secure &smoother operation.

浦吉脚架篇
PRO.J Tripod

除了创新 还有创新

专利双向锁紧扳扣机构
扳扣设有内外双卡点，可实现脚管正反双向都有几个角度定位选择，适应变化万端的定位需要。

专利止滑筒的设计
一体化嵌入式止滑筒，容易重装，不易脱落。

转接平台
3 /8-1/4转折螺丝适合不同口径的云台。能轻松地反转拍摄角度及进行较低位置的倒拍。

挂物钩设计
可作六角匙的挂物钩

飞灯功能
脚钉可装闪光灯，实现人像摄影常用到的“飞灯”功能。

锁紧套
只需转动1/4圈就可以顺利打开和锁紧。

Innovative idea with very good build quality throughout!

Patented rotational movement construction
Reversible and adjustable for both height and angle positioning

Patented Anti-Slip Barrel design
Easy to reset with excellent stability

Independent movement
3/8 -1/4 screw design suitable for different platform. Ideal for low level photography and confined part

Central column hook
Useful to hang photography accessories or additional camera

Lighting function
Install lighting equipment at the bottom leg. Best for human photography

For ease and speed of use
Just 1/4 turn of the twist can simply release and lock the leg

双向锁紧扳扣机构 独家专利

Two-Way Multi-Angle Adjustment Design(Exclusive Patented Technology)

浦吉专利产品：专利号：201220631458.3

正反两向均可多个角度定位

全面创新的双向锁紧扳扣机构实现角度的调节，比常规脚架效率提高。甚至可在正、反两向分别做高、中、低角度锁定。

Professional tripod with two ways multi angle adjustment feature for rapid setup at any angle.

Easy to achieve high, medium and super low angle photography

轻松调节角度位

Simple way to adjust the angle

¤打开 Unlock

左图为卡锁打开状态，此时可根据需要，将脚管调到适合的角度。

Flip the lock open, rotate the column to the desired position

¤调节角度

¤锁定 Lock

向上拨动扳扣，便可锁定角度。（如左图）

Flip the lock to close by push up the knob (see picture)

温馨提示：在调节脚管过程，切记将已拔下的卡锁拔上，再进行脚管角度旋转。

A quick remind: do not push up the locking knob while adjusting the tripod

About 双向锁紧扳扣机构 Two-Way Multi-Angle Adjustment Design

独家设计的双向锁紧扳扣机构设计，既能一体化地轻松调节脚管正反两向的角度，又能稳定、快捷地锁定脚管定位。

板扣结构中每个卡点分别独立管理脚管正向与反向的角度选择，使浦吉脚架可以实现：

1、不动中心管或不对调中心管上下端零件，直接反转脚管即可实现倒拍功能；

2、改变角度时，不用持续按住板扣，轻松。

Two ways multi angle adjustment design take your photography to the next level.

This distinctive design securely manage the up and down angle positioning in one simple movement, just a few seconds, while maintaining excellent stability for the tripod

1 Quick downside or low angle positioning function without moving the central column leg

2 Simple to setup variable positions



板扣结构中每个卡点分别独立管理脚管正向与反向的角度选择

Easily adjustable. Best design for multi angle positioning.



轻松调节脚架角度 适应不同角度定位情况。

Different angle positioning with a very straightforward adjustment of tripod

正常使用方向
可做三档角度定位

Standard usage of different angles adjustment

直接反转
亦可做三档角度定位

Reserve the tripod directly can create quick angel positioning as well

不同使用环境 轻松调节脚架角度
Enjoy the simple angle adjustment control and use it anywhere you desired.

独特的异形支撑功能

浦吉独家专利设计的双向锁紧扳扣机构，能很好地锁定角度，在某些水域或岩石环境下甚至可做到两支脚管支撑，另一支辅助也能稳固支撑相机进行拍摄。不用担心受力不稳问题。



Durability and stability
Every photographers needs

This system locks the legs securely with good The three section legs provide a strong hold and allow you to shoot for the perfect photo even underthe condition of water and rock.

倒拍功能

浦吉独家专利设计的双向锁紧扳扣机构，不动中心管或不对调中心管上下端零件，直接反转脚管也可锁定三个档位，快速实现倒拍功能。

Reversal photo taking function

Reversible design. The main consider - ation is without taking off the centre column leg, a reverse position enable lower angle photography.

不同使用环境 轻松调节脚架角度
Enjoy the simple angle adjustment control and use it anywhere you desired.

PRO.J浦吉

P O R. J (浦吉)脚架与您一起见证美，纪录美！
不同使用环境 轻松调节脚架角度

Pro. J tripod. Experiencing and capturing the greatest moment with you!
Enjoy the simple angle adjustment control and use it anywhere you desired.

超低微距功能

把脚架中心管取出，旋出转接平台与转接头放进中心管锁紧圈里旋紧。可实现超低角度拍摄。

Extra low angle shooting

Our extra patented technology provides more versatility. Allowing photographer to capture the steady shot at an extra low angle.

Remove the centre column leg and adjust the level to your desired angle. Connect the camera on the adapter. Twist the knob.

脚管快拆功能

把中心管的挂钩旋下来，取出中心管，然后将中心管与单脚管的快拆螺栓直接衔接，可提高独脚架高度。

Leg dismantle function

To use it as monopod. Remove the hook bracket from the centre tube. Connect the tube directly to tripod leg. In order to extend the height level.

挂物钩功能 独家专利

浦吉专利产品：专利号：2012203813378

Patented Central column hook
(Exclusive Patented Technology)

中心管挂物勾同时又是六角匙

The hook can use in 2 ways.
For adding accessories to enhance stability.

1、中轴挂钩旋出

2、配合快装板上的六角匙以此拧紧脚架的内六角螺丝。

1、Remova the hook it can be an Allen key.

2、Position hook in line bracket with the screw and tighten it using the Allen key.

一体化嵌入式止滑筒 独家专利

浦吉专利产品：专利号：201220410412.9

使用一体化嵌入式止滑筒与3筋条特殊设计的锁紧套结构相结合，比常规脚架:

自重更轻
锁紧更具效率
不易脱落
重装容易
稳定可靠

Patented Anti-Slip Barrel

(Exclusive Patented Technology)

Our embedded anti slip barrel design & interlocking mechanism provide higher efficiency to the user.

Professional locking system
Stable & Sturdy
Simple setup procedure
Flexible

魔术脚钉 独家专利
Patented foot pad
(Exclusive Patented Technology)

浦吉专利产品：脚钉功能专利号：201220381326.x

- 旋转脚垫把脚钉取出，反转脚钉旋入脚垫，金属脚钉将露出脚垫面，可保证脚架在诸如松软，硬地等环境使用时的稳定性。
- 可拆式结构，可方便清洗。

- Twist out the foot nail. Reserve it to the other side and attach to the tube. Enable your tripod to stay securely even immersed in sand, mud and water.
- Removable design, convenience for clean up

飞灯功能 Off Camera Flash

可以随时旋转脚垫，突出螺丝头，装上闪光灯，利用浦吉脚架独有的近180度上翻的功能，用摄影包等方法固定，不需助手，就可以达到 “飞灯” （多用于人像摄影）效果。

Twist out the foot nail from the rubber foot and turn both the nail and foot upside down. Join the camera flash light.

Its leg with 180 degree angle adjustment is a very useful design for 'off camera flash' outcome.

把独脚架上的脚钉旋转出来，与三脚架转接平台配合使用，可装上闪光灯。

注：此时禁止装上相机。

By removing the foot nail, the tripod coupled to the tripod adapter platform instantly turns into a simple lighthouse.

*do not put your camera on at this stage

独脚架
Monopod

圆管 Round Tube　六角管 Hexagonal tube

独脚架参数表

圆管 Round Tube

PM	M	mm	mm	mm	mm	mm	kg	max kg
铝合金	25684	4	28	16	1508	470	0. 39	15
铝合金	25685	4	28	16	1608	500	0. 40	15
铝合金	25686	4	28	16	1708	520	0. 42	15
铝合金	25687	4	28	16	1808	550	0. 43	15

六角管 Hexagonal tube

PM	M	mm	mm	mm	mm	mm	kg	max kg
铝合金	25680	4	28	19	1508	482	0. 41	15
铝合金	25681	4	28	19	1608	507	0. 43	15
铝合金	25682	4	28	19	1708	532	0. 45	15
铝合金	25683	4	28	19	1808	557	0. 48	15

浦吉脚架附包赠送手腕带，与脚架袋上的背带配合，可作为腳架背带使用。

PRO.J tripod kit including a Wrist strap, join it with the shoulder strap. Use it to carry your tripod around.

无快拆功能脚架参数
Professional Tripod

Model NO.	MATERIAL	mm	mm	mm	mm	mm	mm	mm	kg	kg
25818	CARBON	4	28	16	130	1340	460	400	1.10	15
25819	CARBON	4	28	16	130	1410	470	420	1.12	15
25820	CARBON	4	28	16	130	1560	505	450	1.19	15
25821	CARBON	3	28	20	130	1615	575	520	1.19	15
25822	CARBON	4	28	16	130	1610	515	460	1.20	15
25823	CARBON	4	28	16	130	1650	535	480	1.20	15
25618	ALUMINUM	4	28	16	130	1340	460	400	1.38	15
25619	ALUMINUM	4	28	16	130	1410	470	420	1.40	15
25620	ALUMINUM	4	28	16	130	1560	505	450	1.44	15
25621	ALUMINUM	3	28	20	130	1615	575	520	1.50	15
25622	ALUMINUM	4	28	16	130	1610	515	460	1.47	15
25623	ALUMINUM	4	28	16	130	1650	535	480	1.49	15

快拆功能脚架参数
Professional Tripod with integrated monopod

Model NO.	MATERIAL	mm	mm	mm	mm	mm	mm	mm	kg	kg	mm	mm
25838	CARBON	4	28	16	130	1340	460	400	1.03	15	1377	648
25839	CARBON	4	28	16	130	1410	470	420	1.11	15	1470	681
25830	CARBON	4	28	16	130	1560	505	450	1.17	15	1605	750
25831	CARBON	3	28	20	130	1615	575	520	1.18	15	1646	830
25832	CARBON	4	28	16	130	1610	515	460	1.18	15	1660	775
25833	CARBON	4	28	16	130	1650	535	480	1.18	15	1735	805
25638	ALUMINUM	4	28	16	130	1340	460	400	1.33	15	1377	648
25639	ALUMINUM	4	28	16	130	1410	470	420	1.41	15	1470	681
25630	ALUMINUM	4	28	16	130	1560	505	450	1.42	15	1605	750
25631	ALUMINUM	3	28	20	130	1615	575	520	1.48	15	1646	830
25632	ALUMINUM	4	28	16	130	1610	515	460	1.45	15	1660	775
25633	ALUMINUM	4	28	16	130	1650	535	480	1.47	15	1735	805

About 陈敢清 gang qi chen

中国新闻摄影学会会员、
中国民俗摄影协会永久会员、
中国摄影家协会会员、
中国昆虫学会蝴蝶分会永久会员

The Photojournalist Society of China （CPS）
China Folklore Photographic Association (CFPA)
China Photographers Association （CPA）
THE ENTOMOLOGICAL SOCIETY OF CHINA （ESC）

陈老师因为拍蝴蝶而爱上蝴蝶，又因为蝴蝶而爱上了大自然。眼见环境污染日益严重，大自然白青山绿水一点点地被吞噬，痴爱的蝴蝶即将慢慢地消逝。他用五年的时间完成以寻找“会飞白花 - 中国蝴蝶资源调查”为主题的公益活动。他要以一已之力去宣传，去推动中国的环保事业，去唤起国人的环保意识。这个行动，在严重缺乏环保意识的形势下，尤其显出他的勇气！

Mr. Chan enjoys photography and loves wildlife especially in love with the wild butterfly photography. Mr. Chen, as a responsible photographer of wildlife, he always put consideration and care of the environment. With a range of experience shooting in wildlife and he has spent more than 5 years to study on the research of 'butterfly,'

浦吉——最合我意

我拍昆虫的时候，机位经常很低，更多时候几乎是贴着地来拍。要知道，拍昆虫还是守株待兔的活，手拿相机要坚持长时间不动，手会酸得不得了，虽然也知道用脚架来拍，摄影几十年，就是找不到又贴心又好用的，所以多数时候，我还是选择徒手拿相机，很麻烦，但是没办法。

这个浦吉脚架就太合我的意了：
首先，可以倒拍，就不用说了，最吸引我的是“啪、啪、啪”，板三下，三根脚就可以很快翻过来，马上可以倒拍，够快。其次，这个浦吉脚架的三根脚，在反拍时，各自还有几个角度可以选择，这个太好了。什么意思呢？我们拍昆虫的人，都是在野外工作的，地形千差万别，这个脚架好就好在每根脚可以独立调到各种角度，这样就可以快速适应各种地形，还可以保证中心管是垂直的，也就是说，还可以保证正常水平的画面，这个很重要！

我为什么不爱用脚架来拍摄，就 是以前找不到在倒拍的情况下，可以快速适应各种地形的脚架。我也知道，有的脚架也带有倒拍功能，但 是要拆掉中心管，再装上，也有的，将中心管的上下两头的零件对调来实现倒拍，终归还是一样的：慢 麻烦，等搞完拆卸或者是对调，蝴蝶就不知道飞到哪里去了，所以就只能用手来拍，没有办法啊！

这样说来，这个浦吉脚架正 好解决困扰了我几十年的难题，真的是一件很了不起的事，以后，我就可以将相机装在这个脚架上，等 蝴蝶飞来时，只管按一下遥控器，就可以完事了。
以前，我总是用手持机器 的办法来拍昆虫，由于害怕手抖导致画面不清，于是每一次要拍十来张，再从中挑选，现在就不用这样了，只要一到两张就足够，而且图像质量一定是可靠的。

这个肩带也很好用，我们 平时总是要背上包，挎上相机，罗嗦，有了这肩带，我们就可以将背包放在驻地，单独用这个肩带就可 以，有的时候，也可以左右各一个相机。

见到这快装板 我就想 在我的相机上，长焦镜上都默认装上它，这样就方便多了。这个浦吉云台我也爱用， 主要是由于它可以不用眼睛看着，就可以快速地完成装和卸的过程，这样就可以让我更加主动，从容。

陈敢清

PRO.J Definitely the best choice!

Butterfly photography is not easy when I have to spend a few hours to hold up the camera at a very low angle to get the shot. I found it very difficult when hand holding a camera for long. Certainly, I clearly knows that using a tripod helps a lot but most tripods I have used involves multiples steps to get the setting right and once everything is standing by, the butterfly has already flied miles away. I end up need to hand holding the camera for long to capture the shot well.

pro.j tripod is what best meet my preference!
When you are capturing outdoor shots, you need a kit that is fast, lightweight and durable. Jenova 'Pro. J', is incredibly easy to release the legs and they are faster to get the tripod to the reserve direction in order for me to get closer enough to capture the best shot. This is beneficial for me as an outdoor photographer. Why? Because time isn't on my side and a quick and simple setup tripod is definitely important for me.

Now Jenova professional tripod has solved my problem and with this outstanding system, amazingly fast to setup. Just one or two shots will allow me to capture the perfect photo. The camera strap is an innovative strap design which is very convenience to carry around as well.

This system provides outstanding stability and balance, very sturdy and lock the legs and center post in position with a quick twist, this is a quality Tripod!

材质与表面高品质 高技术
Material & the Surface Compromising on performance and quality

碳纤维脚管

碳纤管使用含碳100%的碳布8层编织，特有的交叉纹碳管使管材更轻更薄更坚韧。

Carbon fiber

Offer the strongest solution for lighter tripod



铝合金脚管

采用阳极加拉丝处理，抗划花，高档。

Aluminum

Can avoid the scrape injure of the surface. Best value!

浦吉产品部件表面采用阳极硬氧化处理，抗划伤性能优越，并提供移动方面的顺畅与精确。

Excellent mobility with precise angle adjustment, as well as good protection for the surface area

检测浦吉产品执行严格的检测标准
Our Facilities



锁紧力测试

浦吉云台机构精密，锁紧力特强！经香港标准及检定中心检测，最大锁紧力可超越25kg.

Tripod Head Assembly Test

Pro. J tripod head on test ensure load capacity of over 25 kg. Excellent reliability.

恒温测试

产品可耐摄氏零下30℃、零湿度白极端气候条件。

Thermostatic wet test

Programmable process to test functionality in tempearture up to -30° degrees

紫外线老化测试

产品通过在气温45℃，湿度98%及紫外线照射下的测试。

UV Aging Test

Products tested under the temperature of 45 degrees, the humidity at 98% and ultra-violet radiation

弹簧疲劳性测试

弹簧的使用寿命可达5万次以上。

Spring Durability Test

Products are long-lasting with the usage of more than 50000 pulls

盐水喷雾测试

产品通过盐水喷雾测试。

Spray Test

Products are experienced through the spray test



面板疲劳性测试

云台快装系统的面板机构通过5万次活动后性能保持正常。

Spring Durability Test

Products are long-lasting with the usage of more than 50000 pulls

Jenova 吉尼佛 PRO.J 浦吉

中山立信摄影器材有限公司

地址：广东省中山市坦洲镇第三工业区
Tel: 0760-86159178 Fax: 0760-86653148
电子邮箱：info@jenova.com
网址：//www.jenova.cn

LAP SHUN MANUFACTURE CO.,LTD
Hong Kong Office
Unit R, 2/Floor, International Industrial Centre,
2-8 Kwai Tei St., Fotan Shatin, N.T., Hong Kong
Tel: (852) 2601-4222 Fax: (852) 2694-9001
http：//www.jenova.com.hk

www.jenova.cn

★产品以实物为准 如有修改不作另外通知★